

SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010 According to Regulation (EC) No 1907/2006, Annex II

llumitex Water Based Lacquer

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product name:	Ilumitex	Water	Based Lo	acquer
---------------	----------	-------	----------	--------

1.2. Details of the supplier of the safety data sheet

Pittaway Special Coatings Ltd.

106-114 Flinton Street Hull HU3 4NA England T: +44 01482 329007 E: info@ilumitex.co.uk

1.3. Emergency telephone number

Emergency number:+44 01482 329007

SECTION 2: Composition/information on ingredients

2-BUTOXYETHANOL	CAS number: 111-76-2	EC number: 203-905-0	% <1%
Classification: Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		Classification (67/548/EEC or 19 Xn;R20/21/22 Xi;R36/38	999/45/EC)

2-AMINO-2-METHYLPROPANOL	CAS number: 124-68-5	EC number: 204-709-8	% <1%
Classification: Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412		Classification (67/548/EEC or 1 Xi;R36/38 R52/53	999/45/EC)



CHLOROMETHYLISOTHIAZOLINONE M factor (Acute) = 10	CAS number: 26172-55-4	EC number: 247-500-7	% <1%
Classification: Acute Tox. 3 - H301 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1A - H317 STOT SE 3 - H335 Aquatic Acute 1 - H400		Classification (67/548/EEC or 1: T;R23/24/25. C;R34. N;R50. R43.	999/45/EC)

METHYLISOTHIAZOLINONE M factor (Acute) = 10	CAS number: 2682-20-4	EC number: 220-239-6	% <1%
Classification: Acute Tox. 3 - H301 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335 Aquatic Acute 1 - H400		Classification (67/548/EEC or 1: T;R23/24/25. C;R34. N;R50. R43.	999/45/EC)

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments	This product contains a preservative (see Section 3). May cause an allergic
	reaction and may be harmful to the environment (see Section 12).
Ingredient notes	This product is not regarded as a health or environmental hazard under current
	legislation. See Classification, Labelling & Risk Information This product contains a
	preservative. May cause an allergic reaction.

SECTION 3: Hazards identification

3.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
Human health	Prolonged skin contact may cause temporary irritation.
Environmental	This product is not regarded as a health or environmental hazard under current
	legislation. See Classification, Labelling and Risk Information.
Physicochemical	See Section 7.2 Storage Class. See Section 5.2 Hazardous combustion products.
	See Section 10: Stability and reactivity



3.2. Label elements

Hazard statements	NC Not Classified
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P261 Avoid breathing gas, fume, vapours or spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P410+P403 Protect from sunlight. Store in a well-ventilated place. P501 Dispose of contents/ container in accordance with national regulations.
Supplemental label	EUH 208 Contains 5-chloro-2-methyl-4-iso-thiazolin-3-one and 2-methyl-2H-isothiazol-3-one.
information	May produce an allergic reaction.

3.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

The severity of the symptoms described will vary depending on the concentration and the length of exposure. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Inhalation:

Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention. Symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Show this Safety Data Sheet to the medical personnel.

Ingestion:

Remove affected person from source of contamination. Rinse mouth thoroughly with water. Give plenty of water to drink. DO NOT induce vomiting. Get medical attention immediately.

Skin contact:

Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.

Use barrier creams to prevent skin contact. Remove contaminated clothing and rinse skin thoroughly with water.

Eye contact:

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

Protection of first aiders:

First aid personnel should wear appropriate protective equipment during any rescue. In case of insufficient ventilation, wear suitable respiratory equipment.



4.2. Most important symptoms and effects, both acute and delayed

General information:

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation:

Harmful if inhaled Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion:

Harmful if swallowed. May cause nausea, stomach pain and vomiting.

Skin contact:

Skin irritation. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact:

May cause severe eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

No specific recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY! In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Use fire-extinguishing media suitable for the surrounding fire. Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards:

The pressure in sealed containers can increase under the action of heat. The material will not support combustion unless the water has evaporated.

Hazardous combustion products:

In case of fire, toxic gases (CO, CO2, NOx) may be formed. Acrid smoke or fumes. Other pyrolysis products typical of burning an organic material. Harmful gases or vapours. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. In the event of a fire and/or explosion, do not breathe fumes.

5.3. Advice for firefighters

Protective actions during firefighting:

Keep up-wind to avoid fumes. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Containers close to fire should be removed or cooled with water. If risk of water pollution occurs, notify appropriate authorities. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken without appropriate training or involving any personal risk.

Special protective equipment for firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:

Wear protective clothing as described in Section 8 of this safety data sheet. Do not handle broken packages without protective equipment. Provide adequate ventilation. If ventilation is inadequate, suitable respiratory protection must be worn. Where anti slip aggregates, powders or similar are added/post added to a paint, the potential for the generation of respirable dust during handling and use can occur. In such cases, occupational exposures to respirable dust should be monitored and controlled. In the case of exposure to prolonged or high levels of air borne dust, wear a personal respirator in compliance with national legislation. No smoking, sparks, flames or other sources of ignition near spillage.

For non-emergency personnel:

Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear suitable respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable materials. See also the information in "For non-emergency personnel".

6.2. Environmental precautions

Environmental precautions:

Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up:

Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

Reference to other sections:

Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see section 13.



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions:

Avoid spilling. Avoid contact with skin and eyes.

Advice on general occupational hygiene:

Do not eat, drink or smoke when using this product. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions:

Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class:

Not Applicable.

7.3. Specific end use(s)

Specific end use(s):

The identified uses for this product are detailed in Section 1.2. Restricted to professional users.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-BUTOXYETHANOL	
Long-term exposure limit (8-hour TWA):	WEL 25 ppm(Sk)
Short-term exposure limit (15-minute):	WEL 50 ppm(Sk)
WEL = Workplace Exposure Limit	

Ingredient comments......WEL = Workplace Exposure Limits



8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:.....No specific ventilation requirements noted, but forced ventilation may still be

required if air contamination exceeds acceptable level.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







Personal protection:......Advice on personal protection is applicable for high exposure levels. Select proper personal protection based on a risk assessment of the actual exposure scenario.

8.2.2.1. Eye and face protection

Eye protection:The following protection should be worn: Chemical splash goggles. Eyewear complying with an approved standard should be worn if a risk assessment

indicates eye contact is possible.

8.2.2.2. Skin protection

Skin and body protection:......Wear appropriate clothing to prevent reasonably probable skin contact. Use barrier creams to prevent skin contact.

manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with

European Standard EN374.

8.2.2.3. Hygiene and respiratory protection

shift and before eating, smoking and using the toilet. Do not eat, drink or smoke

when handling this product.

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is

'CE'-marked.

8.2.2.4. Thermal hazards......No additional information available.

8.2.3. Environmental exposure controls

Environmental exposure controls:.....Emissions from ventilation or work process equipment should be checked to
ensure they comply with the requirements of environmental protection legislation.
In some cases, fume scrubbers, filters or engineering modifications to the process

Page 7 of 17

equipment will be necessary to reduce emissions to acceptable levels.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	Liquid.
Colour:	Clear liquid.
Odour:	Mild (or faint).
Odour threshold:	Not determined.
pH:	Not determined.
Melting point:	Not determined.
Initial boiling point and range:	Not determined.
Flash point:	Not applicable.
Evaporation rate:	Not determined.
Evaporation factor:	Not determined.
Flammability (solid, gas):	No specific test data are available.
Upper/lower flammability or explosive limits	::.Not applicable.
Other flammability:	No specific test data are available.
Vapour pressure:	Not determined.
Vapour density:	Not determined.
Relative density:	~ 1.04 @ @ 20°C
Bulk density:	Not determined.
Solubility(ies):	Miscible with water.
Partition coefficient:	Not determined.
Auto-ignition temperature:	Not determined.
Decomposition Temperature:	Not determined.
Viscosity:	Not determined.
Explosive properties:	Not considered to be explosive.
Explosive under the influence of a flame:	Not considered to be explosive.
Oxidising properties:N	Not determined.

9.2. Other information

Other information:

Paints are dilutable with water. Store at temperatures above 5°C (32°F). Protect from freezing.



SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity:......There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability:.....Stable at normal ambient temperatures and when used as recommended. Further information on correct storage: refer to Section 7.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions:.....None under normal processing.

10.4. Conditions to avoid

Avoid extremes of temperature and direct sunlight. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3.

10.5. Incompatible materials

Materials to avoid:......No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products:Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO2). Oxides of nitrogen.

Acrid smoke or fumes. In case of fire and/or explosion, do not breaths fumes.



SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information:	This product is unlikely to harm health, given normal and proper handling and
	hygienic precautions. Prolonged and repeated contact with solvents over a long
	period may lead to permanent health problems.
Inhalation:	Irritating to respiratory system.
Ingestion:	Irritating. May cause nausea, stomach pain and vomiting.
Skin contact:	Repeated exposure may cause skin dryness and cracking.
Eye contact:	Irritating to eyes.
Route of entry:	Inhalation Ingestion. Skin and/or eye contact
Additional Information:	For further information, please refer to Sections 4 and 8 respectively.

Toxicological information on ingredients.

2-BUTOXYETHANOL		
Toxicological effects	Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis. High vapour concentrations can cause headaches, dizziness and nausea.	
Acute toxicity - oral		
Acute toxicity oral (LD ₅₀ mg/kg)	2,000.0	
Species	Rat	
ATE oral (mg/kg)	2,000.0	
Acute toxicity - inhalation		
Acute toxicity inhalation (LC ₅₀ vapours mg/I)	20.0	
Species	Rat	
ATE inhalation (vapours mg/I)	20.0	
Serious eye damage/irritation		
Serious eye damage/irritation	Slightly irritating.	
Respiratory sensitisation		
Respiratory sensitisation	Irritating to respiratory system.	
Skin sensitisation		
Skin sensitisation	No information available.	
Germ cell mutagenicity		
Genotoxicity - in vitro	No data available.	
Genotoxicity - in vivo	No data available.	
Carcinogenicity		
Carcinogenicity	Data lacking.	



2-BUTOXYETHANOL		
Reproductive toxicity		
Reproductive toxicity - fertility	No information available.	
Reproductive toxicity - development	No information available.	
Specific target organ toxicity - single exposure		
STOT - single exposure	No information available.	
Target organs	Brain Mucous membranes Respiratory system, lungs	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	No information available.	
Target organs	Brain Respiratory system, lungs Mucous membranes	
Aspiration hazard		
Aspiration hazard	No information available.	
General information	Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.	
Inhalation	Harmful if inhaled.	
Ingestion	Harmful if swallowed.	
Skin contact	Repeated exposure may cause skin dryness and cracking.	
Eye contact	Irritating to eyes.	
Route of entry	Inhalation Ingestion	
Target organs	Brain Respiratory system, lungs Mucous membranes	
Medical symptoms	Skin irritation. Dry skin. Fatigue. Allergies.	

SECTION 12: Ecological information

12.1. Toxicity

Ecological information on ingredients.

2-BUTOXYETHANOL	
Toxicity	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Acute toxicity - fish	, LC50 96 hours >100 mg/lt (Fish) : ,
Acute toxicity - aquatic invertebrates	, EC50 48hours >100 mg/lt (Daphnia magna) : ,



2-BUTOXYETHANOL	
Acute toxicity - aquatic plants	, EC50 >1000 MG/LT (aLGAE) : ,
Acute toxicity - microorganisms	, EC50 >1000 mg/lt (Bacteria) : ,
Acute toxicity - terrestrial	Rat

2-AMINO-2-METHYLPROPANOL	
Toxicity	This product contains substances which are harmful to aquatic organisms. Do not discharge into drains, water courses or onto the ground.
Acute toxicity - fish	, LC50 96 hours 0.53 mg/lt (Oncorhynchus alarki) : ,
Acute toxicity - aquatic invertebrates	, EC50 48 hours 1.4 mg/lt (Daphnia magna) : ,
Acute toxicity - aquatic plants	Not determined.
Acute toxicity - microorganisms	, NOEC 7 days 6.9 mg/lt (Chlamydomones meuwusii) :
Acute toxicity - terrestrial	Not known.

CHLOROMETHYLISOTHIAZOLINONE		
Toxicity	This product contains substances which are harmful to aquatic organisms. Do not discharge into drains, water courses or onto the ground.	
Acute aquatic toxicity		
LE(C) ₅₀	0.01 < L(E)C50 < 0.1	
M factor (Acute)	10	
Acute toxicity - fish	No information available	
Acute toxicity - aquatic invertebrates	No information available	
Acute toxicity - aquatic plants	No information available	
Acute toxicity - microorganisms	No information available	
Acute toxicity - terrestrial	No information available	

METHYLISOTHIAZOLINONE		
Toxicity	This product contains substances which are harmful to aquatic organisms. Do not discharge into drains, water courses or onto the ground.	
Acute aquatic toxicity		
LE(C) ₅₀	0.01 < L(E)C50 < 0.1	
M factor (Acute)	10	
Acute toxicity - fish	No information available	
Acute toxicity - aquatic invertebrates	No information available	
Acute toxicity - aquatic plants	No information available	
Acute toxicity - microorganisms	No information available	
Acute toxicity - terrestrial	No information available	

Page 12 of 17



12.2. Persistence and degradability

Persistence and degradability.....Readily degradeable.

Ecological information on ingredients.

2-BUTOXYETHANOL	
Persistence and degradability	The product is readily biodegradable.
Biodegradation	The substance is readily biodegradable.

2-AMINO-2-METHYLPROPANOL	
Persistence and degradability	No data available.
Biodegradation	No data available.

CHLOROMETHYLISOTHIAZOLINONE	
Persistence and degradability	No data available.
Biodegradation	No data available.

METHYLISOTHIAZOLINONE	
Persistence and degradability	No data available.
Biodegradation	No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential.....Will not bioaccumalate.

Partition coefficient......Not determined.

Ecological information on ingredients.

2-BUTOXYETHANOL	
Bioaccumulative potential	No data available on bioaccumulation.

2-AMINO-2-METHYLPROPANOL	
Bioaccumulative potential	No data available on bioaccumulation.

CHLOROMETHYLISOTHIAZOLINONE	
Bioaccumulative potential	No data available on bioaccumulation.

METHYLISOTHIAZOLINONE	
Bioaccumulative potential	No data available on bioaccumulation.



12.4. Mobility in soil

Mobility.....No information available.

Ecological information on ingredients.

2-BUTOXYETHANOL	
Mobility	The product is soluble in water. The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

2-AMINO-2-METHYLPROPANOL	
Mobility	No information available.

CHLOROMETHYLISOTHIAZOLINONE	
Mobility	No information available.

METHYLISOTHIAZOLINONE	
Mobility	No information available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessmentThis product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

2-BUTOXYETHANOL	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.

2-AMINO-2-METHYLPROPANOL		
	Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.

CHLOROMETHYLISOTHIAZOLINONE	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.

METHYLISOTHIAZOLINONE	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects......Not known.



SECTION 13: Disposal considerations

13.1. Disposal methods:

General information:

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. The generation of waste should be minimised or avoided wherever possible. The company encourages the recycle, recovery and reuse of materials, wherever possible.

Disposal methods:

Avoid the spillage or runoff entering drains, sewers or watercourses. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste via a licensed waste disposal contractor. Dispose of contents/container in accordance with local regulations. Waste product should not be discharged directly into drains or water courses without treatment, chemical precipitation/ flocculation. Remove the clear supernatant and flush to a chemical sewer. The precipitate is not hazardous. Dispose at a permitted facility in accordance with local and national regulations.

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	Not applicable.
14.2. UN proper shipping name	Not applicable.
14.3. Transport hazard class(es)	No transport warning sign required.
14.4. Packing group	Not applicable.
14.5. Environmental hazards	Environmentally hazardous substance/marine pollutant No.
14.6. Special precautions for user	Not applicable.
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC CodeNot applicable.



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Petroleum (Consolidation) Act, as amended 1984 SI 1244. Highly Flammable Liquid Regulations 1972. Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste) Regulations 1980 (as amended). Control of Substances Hazardous to Health Regulations 2002 (as amended).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010.
Guidance	Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

16.1. User notes:

General information	The product may contain low levels of volatile organic compounds or ammonia
	which may evaporate during application and drying. Recommended storage
	between 5°C and 35°C. Protect from direct sunlight. Special precautions should be
	taken during surface preparation of pre-1960 paint surfaces as they may contain
	harmful lead. As appropriate, controls for the management of issues such as
	dust generation/control, toxicological effects (Section 11) and disposal & waste
	treatment (Section 12) need to be in place. For further advice, contact Pittaway
	Special Coatings Limited
Issued by	BOD
Revision date	26/03/2015
Revision	0
SDS number	10349
Risk phrases in full	Not classified.
	R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
	R36/38 Irritating to eyes and skin.
Hazard statements in full	H301 Toxic if swallowed.
	H302 Harmful if swallowed.
	H312 Harmful in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.

Page 16 of 17



H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

The product should not be used for the purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.